

# FURNACES Kg 1 - 2 - 3



**FUSION FURNACE**

- Goldsmith Sector -



## FUSION FURNACE

The 1-2-3 Kg electric ovens are used in the goldsmith sector, specifically for melting, a process that consists in melting noble metals, such as gold and silver.

The 1-2-3 kg ovens quickly reach a temperature of 1150 ° C. Inside them it is possible to place a graphite crucible with a capacity (in specific weight) of the single metals of 1, 2 and 3 kg.

The ovens are complete with digital thermoregulator, graphite pliers and crucible, and, on request, with a heat protection grid and an analog thermoregulator.





## DATA SHEET



TECHNICAL DATA					
TYPE	SINGLE-PHASE VOLTAGE	FREQUENCY	WATTAGE	MAX TEMPERATURE	MELTING CAPACITY
<b>Kg 1</b>	v. 110-230	Hz. 50-60	750 W	1150 C°	1 kg
<b>Kg 2</b>	v. 110-230	Hz. 50-60	1200 W	1150 C°	2 kg
<b>Kg 3</b>	v. 110-230	Hz. 50-60	1400 W	1150 C°	3 kg

DIMENSIONS				
TYPE	DEPTH	WIDTH	HEIGHT	WEIGHT
<b>Kg 1</b>	200 mm	210 mm	360 mm	7 kg
<b>Kg 2</b>	270 mm	280 mm	410 mm	10,5 kg
<b>Kg 3</b>	270 mm	280 mm	410 mm	11 kg

**FURNACES Kg 1-2-3**